Ana Sayfa > Ürünler > Elektirksel Ölçümler Ürün Kategorisi

Detaylı Bilgi İçin Ürün Resmine veya Başlığına Tıklayınız

(PC5) Watt Transdüserleri, Phase fired &amp; Sıfır Geçiş, 120-600Vac, 1A-1000Aac, Tek &amp; Üç Faz
(PC5) Watt Transducers, Phase fired &amp; Zero crossing, 120-600Vac, 1A-1000Aac, Single &amp; Three Phase

(W) Watt &amp; Wattsaat Transdüserleri, PC5 Serisi ile aynı, ek olarak Wattsaat sinyal çıkışı
(W) Watt &amp; Watthour Transducers, Same as PC5 Series plus Watthour outputs



(AGW) Watt Transdüserleri, UL/CUL, 0.2%, Tek &amp; Üç Faz, 120-600Vac, 5-20Aac
(AGW) Watt Transducers, UL/CUL, 0.2%, Single Phase, Three Phase, 120-600Vac, 5-20Aac

(GW5/GV5) Watt Transdüserleri, 0.2%, Tek & Üç Faz, 120V-600Vac, 1-20Aac
(GW5/GV5) Watt Transducers, 0.2%, Single & Three Phase, 120V-600Vac, 1-20Aac



(DW5) Watt Transdüserleri, DIN Rail, 150-600Vac, 5A Tek & Üç Faz
(DW5) Watt Transducers, DIN Rail, 150-600Vac, 5A Single & Three Phase

(DSP) Dijital Güç Monitör, 0.1%, Üç Faz, volts, amps, freq, watts, RS-422 çıkış
(DSP) Digital Power Monitor, 0.1%, Three Phase, volts, amps, freq, watts, RS-422 output

(GW/GH-A) Watt/Watthour Transdüserleri, UL/CUL, 0.2%, Tek & Üç Faz, 120-600Vac, 5-20Ac,
(GW/GH-A) Watt/Watthour Transducers, UL/CUL, 0.2%, Single & Three Phase, 120-600Vac, 5-20Ac,

(GW/GH) Watt/Watthour Transdüserleri, 0.2%, Tek & Üç Faz, 120-600Vac, 5-20Ac,
(GW/GH) Watt/Watthour Transducers, 0.2%, Single & Three Phase, 120-600Vac, 5-20Ac,

(PC) Watt Transdüserleri, Değişken Frekans, 5-500Hz, Tek & Üç Faz, 150-600Vac, 5-20A
(PC) Watt Transducers, Variable Frequency, 5-500Hz, Single & Three Phase, 150-600Vac, 5-20A

(MT) Watt Transdüserleri, DC, multiplier, Tek Faz, şönt giriş, 50mV-750Vdc
(MT) Watt Transducers, DC, multiplier, Single Phase, shunt input, 50mV-750Vdc

(P20) Watt Transducerleri, DC, Frekans aralığı DC – 400Hz, Single Phase, 25-600Vdc, 5-2000Adc

(SWH) Watt Transducerleri, dahili Split-Core CT, Tek Faz, 115-277Vac, 100-400Aac

(WL50) Watt/Watthour Transducers, Split-Core CT's, Low Cost, 1 Phase, 3 Phase,

(WL55) Watt/Watthour Transducers, Low Cost, Three Phase, 120-480Vac, 5A